

PYROIL® WINDSHIELD WASHER  
PYWSW54

**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

Ashland	Regulatory Information Number	1-800-325-3751
P.O. Box 2219	Telephone	614-790-3333
Columbus, OH 43216	Emergency telephone	1-800-ASHLAND (1-800-274-5263)

Product name	PYROIL® WINDSHIELD WASHER
Product code	PYWSW54
Product Use Description	No data

**2. HAZARDS IDENTIFICATION**

**Emergency Overview**

Appearance: liquid

DANGER! POISON! FLAMMABLE LIQUID AND VAPOR. MAY AFFECT THE CENTRAL NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA. HARMFUL IF SWALLOWED. MAY CAUSE BLINDNESS. MAY BE HARMFUL IF INHALED OR ABSORBED THROUGH SKIN. MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. PROLONGED OR REPEATED CONTACT MAY DRY SKIN, CAUSE IRRITATION AND BURNS.

**Potential Health Effects**

**Routes of exposure**

Inhalation, Skin absorption, Skin contact

**Eye contact**

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

**Skin contact**

May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns.

**Ingestion**

Swallowing this material may be harmful.

PYROIL® WINDSHIELD WASHER  
PYWSW54

**Inhalation**

Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

**Aggravated Medical Condition**

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material: skin

**Symptoms**

stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness), visual impairment (including blindness), and death

**Target Organs**

Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals: cardiac abnormalities, liver abnormalities, spleen damage, nervous system damage, eye damage, kidney damage, lung damage, brain damage, Overexposure to this material (or its components) has been suggested as a cause of the following effects in humans: eye damage, visual impairment

**Carcinogenicity**

No data

**Reproductive hazard**

No data

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Components</b>	<b>CAS-No.</b>	<b>Concentration</b>
METHANOL	67-56-1	>=90-<=100%

**4. FIRST AID MEASURES**

**Eyes**

PYROIL® WINDSHIELD WASHER  
PYWSW54

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

### **Skin**

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

### **Ingestion**

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

### **Inhalation**

If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

### **Notes to physician**

**Hazards:** This product contains methanol which can cause intoxication and central nervous system depression. Methanol is metabolized to formic acid and formaldehyde. These metabolites can cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used to prevent methanol metabolism. Ethanol administration is indicated in symptomatic patients or at blood methanol concentrations above 20 ug/dl. Methanol is effectively removed by hemodialysis.

**Treatment:** No information available.

## **5. FIRE-FIGHTING MEASURES**

### **Suitable extinguishing media**

Water mist, Carbon dioxide (CO<sub>2</sub>), Dry chemical

### **Hazardous combustion products**

May form:, carbon dioxide and carbon monoxide

### **Precautions for fire-fighting**

PYROIL® WINDSHIELD WASHER  
PYWSW54

Material is volatile and readily gives off vapors which may travel along the ground or be moved by ventilation and ignited by pilot lights, flames, sparks, heaters, smoking, electric motors, static discharge or other ignition sources at locations near the material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

**Flammability Class for Flammable Liquids**  
Flammable Liquid Class IB

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions**

For personal protection see section 8. Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Stop spill at source. Prevent from entering drains, sewers, streams or other bodies of water. Prevent from spreading. If runoff occurs, notify authorities as required. Pump or vacuum transfer spilled product to clean containers for recovery. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

**Environmental precautions**

Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

**Methods for cleaning up**

Absorb liquid on vermiculite, floor absorbent, or other absorbent material and transfer to hood.

**7. HANDLING AND STORAGE**

**Handling**

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed.

**Storage**

No data

PYROIL® WINDSHIELD WASHER  
PYWSW54

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Guidelines

#### METHANOL

67-56-1

ACGIH	time weighted average	200 ppm
ACGIH	Short term exposure limit	250 ppm
NIOSH	Recommended exposure limit (REL):	200 ppm
NIOSH	Recommended exposure limit (REL):	260 mg/m3
NIOSH	Short term exposure limit	250 ppm
NIOSH	Short term exposure limit	325 mg/m3
OSHA Z1	Permissible exposure limit	200 ppm
OSHA Z1	Permissible exposure limit	260 mg/m3

### General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

### Exposure controls

Not required under normal conditions of use.

### Eye protection

Not required under normal conditions of use.

### Skin and body protection

Not required under normal conditions of use.

Other protective equipment: not required under normal conditions of use.

### Respiratory protection

Respiratory protection is not required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state**  
**Form**

liquid  
No data

PYROIL® WINDSHIELD WASHER  
PYWSW54

<b>Colour</b>	No data
<b>Odour</b>	No data
<b>Boiling point/boiling range</b>	64.70 °C / 148.5 °F @ 1,013.23 hPa
<b>pH</b>	No data
<b>Flash point</b>	50 °F / 10 °C
<b>Evaporation rate</b>	No data
<b>Explosion limits</b>	7.3 %(V) 36 %(V)
<b>Vapour pressure</b>	169.31 hPa @ 77 °F / 25 °C
<b>Vapour density</b>	No data
<b>Density</b>	0.796 g/cm <sup>3</sup>
	No data
<b>Solubility</b>	No data
<b>Partition coefficient: n-octanol/water</b>	No data
<b>Autoignition temperature</b>	No data

## 10. STABILITY AND REACTIVITY

### Stability

Stable.

### Conditions to avoid

Avoid contact with:

### Incompatible products

Avoid contact with:, strong oxidizing agents

### Hazardous decomposition products

May form:, carbon dioxide and carbon monoxide

### Hazardous reactions

Product will not undergo hazardous polymerization.

### Thermal decomposition

No data

## 11. TOXICOLOGICAL INFORMATION

### Acute oral toxicity

PYROIL® WINDSHIELD WASHER  
PYWSW54

METHANOL

LD L0 Human: 300 mg/kg

**Acute inhalation toxicity**

METHANOL

LC 50 Rat: 64000 ppm, 4 h

**Acute dermal toxicity**

METHANOL

LD 50 Rabbit: 12,800 mg/kg

**12. ECOLOGICAL INFORMATION**

**Aquatic toxicity**

**Acute and Prolonged Toxicity to Fish**

No data

**Acute Toxicity to Aquatic Invertebrates**

No data

**Environmental fate and pathways**

No data

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods**

Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Ashland Distribution's Environmental Services Group at 800-637-7922.

**14. TRANSPORT INFORMATION**

**IMDG:**

UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL, ) 3 (6.1), II

**IATA\_P:**

UN1992, Flammable liquid, toxic, n.o.s. (METHANOL, ) 3 (6.1), II

PYROIL® WINDSHIELD WASHER  
PYWSW54**IATA\_C:**

UN1992, Flammable liquid, toxic, n.o.s. (METHANOL, ) 3 (6.1), II

**CFR\_ROAD:**

UN1992, Flammable liquids, toxic, n.o.s. (METHANOL, ) 3 (6.1), II

**CFR\_RAIL:**

UN1992, Flammable liquids, toxic, n.o.s. (METHANOL, ) 3 (6.1), II

**CFR\_INWTR:**

UN1992, Flammable liquids, toxic, n.o.s. (METHANOL, ) 3 (6.1), II

Dangerous goods descriptions (if indicated above) may not reflect package size, quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**15. REGULATORY INFORMATION****California Prop. 65**

WARNING! This product contains a chemical known in the State of California to cause cancer.

1,4-DIOXANE

ETHYLENE OXIDE

WARNING! This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

ETHYLENE OXIDE

**SARA Hazard Classification**    Fire Hazard  
    Acute Health Hazard

**SARA 313 Component(s)**  
METHANOL    67-56-1    99.4213%

	<b>Health</b>	<b>Flammability</b>	<b>Reactivity</b>	<b>Other</b>
<b>HMIS</b>				No data
<b>NFPA</b>				No data

**16. OTHER INFORMATION**

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance



**ASHLAND**  
**SAFETY DATA SHEET**

Page: 9  
Revision Date: 01/24/2008  
Print Date: 3/5/2008  
MSDS Number: R0177220  
Version: 1.7

PYROIL® WINDSHIELD WASHER  
PYWSW54

of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).